

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	202	(((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5)) same (\$4Authenticat\$5 or \$4Authoriz\$6 or \$4Permi\$6 or \$4Verif\$8 or \$4Certif\$8 or \$4Validat\$6 or \$4Approv\$6 or \$4Confir\$7 or \$4Credent\$6 or allow \$4) same (\$trust\$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary \$4 or mutual\$4 or entiti \$4) same (object\$4 or SOAP or corba) same header)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 17:48
L2	75	L1 @ad< "20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 17:48
L3	564162	(((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Process\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4 or router) with (Destinat\$5 or target \$4 or remote\$4) with (\$4Communicat\$4 or \$4Transmi\$7 or \$4Send\$4 or Reques\$5 or submit\$4 or \$4Receive\$4 or \$4Transceiv\$4 or Bi? direction\$4 or Two?way or \$4Coupl\$4 or \$4Connect\$4 or \$4Interface\$4 or Rout\$4 or Path\$4 or URL or link or XLink or (XML adj Linking)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 17:48

L4	755319	((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4device\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Processo\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4 or router) with (Sourc\$4) with (\$4Communicat\$4 or \$4Transmi\$7 or \$4Send\$4 or Reques\$5 or submit\$4 or \$4Receive\$4 or \$4Transceiv\$4 or Bi? direction\$4 or Two?way or \$4Coupl\$4 or \$4Connect\$4 or \$4Interface\$4 or Rout\$4 or Path\$4 or URL or link or XLink or (XML adj Linking)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 17:56
L5	424942	((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4device\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Processo\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4 or router) with (Intermed\$4 or middl\$4 or adjacent\$4) with (\$4Communicat\$4 or \$4Transmi\$7 or \$4Send\$4 or Reques\$5 or submit\$4 or \$4Receive\$4 or \$4Transceiv\$4 or Bi? direction\$4 or Two?way or \$4Coupl\$4 or \$4Connect\$4 or \$4Interface\$4 or Rout\$4 or Path\$4 or URL or link or XLink or (XML adj Linking)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 18:00
L6	21	11 I3 I4 I5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 18:03

L7	14	!6 @ad< "20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 18:04
L8	1	10/803590	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 18:09
L9	28	(((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5)) with (\$trust\$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary\$4 or mutual\$4 or entiti\$4) with object\$4 with header)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 18:27
L10	16	!9 @ad< "20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 18:28
L11	26167	!3 !4 !5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 18:34
L12	1	(((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5)) (\$trust\$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary\$4 or mutual\$4 or entiti\$4) object\$4 SOAP header).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 18:35
L13	13	(((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5)) (\$trust\$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary\$4 or mutual\$4 or entiti\$4) object\$4 header).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 18:37

L14	0	I11 I13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 18:38
L15	7	I13 @ad<"20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 18:39
L16	526	(object\$4 with Secure\$4 with (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client \$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Process\$4 or \$4machin \$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4 or router) with (Destinat\$5 or target \$4 or remote\$4) with (\$4Communicat\$4 or \$4Transmi\$7 or \$4Send\$4 or Reques\$5 or submit\$4 or \$4Receive\$4 or \$4Transceiv\$4 or Bi? direction\$4 or Two?way or \$4Coupl\$4 or \$4Connect \$4 or \$4Interface\$4 or Rout\$4 or Path\$4 or URL or link or XLink or (XML adj Linking))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 18:43
L17	358	(object\$4 with Secure\$4 with (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client \$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Process\$4 or \$4machin \$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4 or router) with (Sourc\$4) with (\$4Communicat\$4 or \$4Transmi\$7 or \$4Send\$4 or Reques\$5 or submit\$4 or \$4Receive\$4 or \$4Transceiv\$4 or Bi? direction\$4 or Two?way or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 18:46

		\$4Coupl\$4 or \$4Connect\$4 or \$4Interface\$4 or Rout\$4 or Path\$4 or URL or link or XLink or (XML adj Linking)))				
L18	670	(object\$4 with Secure\$4 with (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Process\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4 or router) with (Intermed\$4 or middl\$4 or adjacent\$4) with (\$4Communicat\$4 or \$4Transmi\$7 or \$4Send\$4 or Reques\$5 or submit\$4 or \$4Receive\$4 or \$4Transceiv\$4 or BI? direction\$4 or Two?way or \$4Coupl\$4 or \$4Connect\$4 or \$4Interface\$4 or Rout\$4 or Path\$4 or URL or link or XLink or (XML adj Linking)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 18:49
L19	3	I16 I17 I18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 18:52
L20	36	I11 I16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 18:55
L21	24	I20 @ad< "20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 18:56
L22	212	Simple Object Access Protocol message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/05 19:13

L23	5724	Simple Object Access Protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/05 19:13
L24	324	111 123	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 19:14
L26	116	124 @ad<"20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 19:15
L27	64589	"380".clas. "726".clas. "713".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 19:18
L28	9	126 127	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 19:19
L29	0	18 adjcace\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 19:24
L30	0	18 (adjacent\$4 or hop)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 19:25
L31	0	18 (Intermed\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 19:25

L32	1	18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 19:26
L33	13	(US-20030088790-\$ or US-20020099952-\$ or US-20040139352-\$ or US-20040139322-\$ or US-20040001594-\$).did. or (US-7350204-\$ or US-6405202-\$ or US-5898781-\$ or US-7225249-\$ or US-7395311-\$ or US-7313687-\$ or US-7174021-\$ or US-7072967-\$).did.	US-PGPUB; USPAT	AND	ON	2008/09/05 19:40
L34	8	111 I33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 19:45
L35	7	123 I33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 19:53
L36	6	123 I34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 19:53
L37	6	I36 (Intermed\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 20:13
L38	0	I33 (Intermed\$4 with adjacent\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 20:23
L39	1	I33 (Intermed\$4 adjacent \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 20:23

L40	1	33 hop\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 20:24
L43	12	(US-20030088790-\$ or US-20020099952-\$ or US-20040139352-\$ or US-20040139322-\$ or US-20040001594-\$).did. or (US-7350204-\$ or US-6405202-\$ or US-5898781-\$ or US-7225249-\$ or US-7174021-\$ or US-7072967-\$ or US-7293283-\$).did.	US-PGPUB; USPAT	AND	ON	2008/09/05 20:44
L44	1	43 (Intermed\$4 adjacent \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 20:48
L45	8	43 Intermed\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 20:49
L46	9	(US-20020099952-\$ or US-20040139352-\$ or US-20040139322-\$ or US-20040001594-\$).did. or (US-7350204-\$ or US-6405202-\$ or US-5898781-\$ or US-7225249-\$ or US-7072967-\$).did.	US-PGPUB; USPAT	AND	ON	2008/09/05 20:51
L47	6	43 Intermed\$4 header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 20:52
L48	7	43 header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 20:52
S1	1	10/803590	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 14:34

S2	2220	713/168.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 14:34
S3	4	OKUNSEINDE-FOLU.in. STADING-TYRON.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 14:36
S4	15	OKUNSEINDE-FOLU.in. "STADING-TYRON.in. "	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/30 14:36
S5	71929	(INTERNATIONAL BUSINESS MACHINES CORPORATION).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/03/30 14:37
S6	53727	IBM.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 14:37
S7	125622	S5 S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/30 14:37
S8	2	"5602916".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 14:38
S9	4	"4104721".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 14:41

S10	2	"5898781".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 14:41
S11	4	"6405202".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 14:42
S12	12	S8 S9 S10 S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/30 14:52
S13	11	S12 @ad<"20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 14:52
S14	2	(SOAP with header) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with object with transaction) (remote \$4 with (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client \$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Process\$4 or \$4machin \$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4)) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$4Communicat\$4 or \$4Transmi\$7 or \$4Send\$4 or Reques\$5 or submit\$4 or \$4Receive\$4 or \$4Transceiv\$4 or Bi? direction\$4 or Two?way or \$4Coupl\$4 or \$4Connect \$4 or \$4Interface\$4 or Rout\$4 or Path\$4 or URL or link or XLink or (XML adj Linking))) (class\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 16:11

		with (\$trust\$4 or \$domain\$4 or \$realm\$4 or \$zone\$4 or boundary \$4 or mutual\$4 or entity\$4 or object\$4) with (\$4Authenticat\$5 or \$4Authoriz\$6 or \$4Permi\$6 or \$4Verif\$8 or \$4Certif\$8 or \$4Validat\$6 or \$4Approv\$6 or \$4Confir\$7 or \$4Credent\$6 or allow \$4))				
S15	1	S14 @ad< "20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 16:16
S16	13	(SOAP with header) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scramble\$5) with object) (remote\$4 with (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4device\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Process\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4)) (https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scramble\$5) with (\$4Communicat\$4 or \$4Transmi\$7 or \$4Send\$4 or Reques\$5 or submit\$4 or \$4Receive\$4 or \$4Transceiv\$4 or Bi? direction\$4 or Two?way or \$4Coupl\$4 or \$4Connect\$4 or \$4Interface\$4 or Rout\$4 or Path\$4 or URL or link or XLink or (XML adj Linking))) (class\$2 with (\$trust\$4 or \$domain\$4 or \$realm\$4 or \$zone\$4 or boundary \$4 or mutual\$4 or entity\$4 or object\$4) with (\$4Authenticat\$5 or \$4Authoriz\$6 or \$4Permi\$6 or \$4Verif\$8 or \$4Certif	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 16:19

		\$8 or \$4Validat\$6 or \$4Approv\$6 or \$4Confir\$7 or \$4Credent\$6 or allow \$4))				
S17	9	S16 @ad< "20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 16:26
S18	0	(((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$trust \$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary\$4 or mutual \$4 or entiti\$4 or object \$4)).ti. ((https or ssh or ssl or Secur\$5 or Protect \$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$trust\$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary \$4 or mutual\$4 or entiti\$4 or object\$4)).ab. (SOAP with header) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with object) (class\$2 same log\$4) (remote\$4 with (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client \$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Processo\$4 or \$4machin \$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4)) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$4Communicat\$4 or \$4Transmi\$7 or \$4Send\$4 or Reques\$5 or submit\$4 or \$4Receive\$4 or \$4Transceiv\$4 or Bi? direction\$4 or Two?way or \$4Coupl\$4 or \$4Connect \$4 or \$4Interface\$4 or Rout\$4 or Path\$4 or URL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 17:03

		or link or XLink or (XML adj Linking))) ((\$trust\$4 or \$4domain\$4 or \$4realm \$4 or \$4Zone\$4 or boundary\$4 or mutual\$4 or entiti\$4 or object\$4) with (\$4Authenticat\$5 or \$4Authoriz\$6 or \$4Permi \$6 or \$4Verif\$8 or \$4Certif \$8 or \$4Validat\$6 or \$4Approv\$6 or \$4Confir\$7 or \$4Credent\$6 or allow \$4))				
S19	0	((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$trust \$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary\$4 or mutual \$4 or entiti\$4 or object \$4)).ti. ((https or ssh or ssl or Secur\$5 or Protect \$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$trust\$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary \$4 or mutual\$4 or entiti\$4 or object\$4)).ab. (SOAP with header) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) object) (class\$2 log\$4) (remote\$4 with (\$4Node \$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client \$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Process\$4 or \$4machin \$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4)) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$4Communicat\$4 or \$4Transmi\$7 or \$4Send\$4 or Reques\$5 or submit\$4 or \$4Receive\$4 or \$4Transceiv\$4 or Bi? direction\$4 or Two?way or \$4Coupl\$4 or \$4Connect \$4 or \$4Interface\$4 or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 17:10

		Rout\$4 or Path\$4 or URL or link or XLink or (XML adj Linking))) ((\$trust\$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary\$4 or mutual\$4 or entiti\$4 or object\$4) with (\$4Authenticat\$5 or \$4Authoriz\$6 or \$4Permi\$6 or \$4Verif\$8 or \$4Certif\$8 or \$4Validat\$6 or \$4Approv\$6 or \$4Confir\$7 or \$4Credent\$6 or allow \$4))				
S20	0	(((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$trust\$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary\$4 or mutual\$4 or entiti\$4 or object\$4)).ti. ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$trust\$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary\$4 or mutual\$4 or entiti\$4 or object\$4)).ab. ((SOAP or corba) with header) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) object) (class\$2 log\$4) (remote \$4 with (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Processo\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4)) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$4Communicat\$4 or \$4Transmi\$7 or \$4Send\$4 or Reques\$5 or submit\$4 or \$4Receive\$4 or \$4Transceiv\$4 or Bi? direction\$4 or Two?way or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 17:48

		\$4Coupl\$4 or \$4Connect\$4 or \$4Interface\$4 or Rout\$4 or Path\$4 or URL or link or XLink or (XML adj Linking))) ((\$trust\$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary\$4 or mutual\$4 or entiti\$4 or object\$4) with (\$4Authenticat\$5 or \$4Authoriz\$6 or \$4Permi\$6 or \$4Verif\$8 or \$4Certif\$8 or \$4Validat\$6 or \$4Approv\$6 or \$4Confir\$7 or \$4Credent\$6 or allow \$4))				
S21	0	((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$trust\$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary\$4 or mutual\$4 or entiti\$4 or object\$4)).ti. ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$trust\$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary\$4 or mutual\$4 or entiti\$4 or object\$4)) ((SOAP or corba) with header) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) object) (class\$2 log\$4) (remote \$4 with (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Processo\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4)) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$4Communicat\$4 or \$4Transmi\$7 or \$4Send\$4 or Reques\$5 or submit\$4 or \$4Receive\$4 or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 17:51

		\$4Transceiv\$4 or Bi? direction\$4 or Two?way or \$4Coupl\$4 or \$4Connect \$4 or \$4Interface\$4 or Rout\$4 or Path\$4 or URL or link or XLink or (XML adj Linking))) ((\$trust\$4 or \$4domain\$4 or \$4realm \$4 or \$4Zone\$4 or boundary\$4 or mutual\$4 or entiti\$4 or object\$4) with (\$4Authenticat\$5 or \$4Authoriz\$6 or \$4Permi \$6 or \$4Verif\$8 or \$4Certif \$8 or \$4Validat\$6 or \$4Approv\$6 or \$4Confir\$7 or \$4Credent\$6 or allow \$4))				
S22	183	(((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$trust \$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary\$4 or mutual \$4 or entiti\$4 or object \$4)) ((SOAP or corba) with header) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) object) (class\$2 log\$4) (remote\$4 with (\$4Node \$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client \$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Process\$4 or \$4machin \$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4)) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$4Communicat\$4 or \$4Transmi\$7 or \$4Send\$4 or Reques\$5 or submit\$4 or \$4Receive\$4 or \$4Transceiv\$4 or Bi? direction\$4 or Two?way or \$4Coupl\$4 or \$4Connect \$4 or \$4Interface\$4 or Rout\$4 or Path\$4 or URL or link or XLink or (XML adj Linking))) ((\$trust\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 18:25

		or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary\$4 or mutual\$4 or entiti\$4 or object\$4) with (\$4Authenticat\$5 or \$4Authoriz\$6 or \$4Permi\$6 or \$4Verif\$8 or \$4Certif\$8 or \$4Validat\$6 or \$4Approv\$6 or \$4Confir\$7 or \$4Credent\$6 or allow \$4))				
S23	59989	"380".clas. "726".clas. "713".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/30 18:30
S24	18	S22 S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 18:31
S25	8	S24 @ad<"20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 18:33
S26	5	("20030041178" "20040210766" "6694431" "6952768" "7096352").PN. OR ("7313687").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/30 18:58
S27	6	("5542046" "6850979" "6928545" "6954792" "7072984").PN. OR ("7249373").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/30 18:58
S28	0	S26 S27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 18:59
S29	11	S26 S27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/30 18:59

S30	11	S29 @ad< "20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 18:59
S31	3	(US-20030120672-\$ or US-20040139352-\$ or US-20040139322-\$).did.	US-PGPUB	AND	ON	2008/03/30 19:03
S32	76	S22 @ad< "20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 19:17
S33	1	S1 object\$4 storag\$4 media	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 19:29
S34	20	S7 S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 19:38
S35	18	S34 @ad< "20030318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 19:39
S36	10	S32 (SOAP same header) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with object) (class\$2 same log \$4) (remote\$4 with (\$4Node\$3 or \$4Workstat \$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Process\$4 or \$4machin \$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4)) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$4Communicat\$4 or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 19:50

		\$4Transmi\$7 or \$4Send\$4 or Reques\$5 or submit\$4 or \$4Receive\$4 or \$4Transceiv\$4 or Bi? direction\$4 or Two?way or \$4Coupl\$4 or \$4Connect \$4 or \$4Interface\$4 or Rout\$4 or Path\$4 or URL or link or XLink or (XML adj Linking))) ((\$trust\$4 or \$4domain\$4 or \$4realm \$4 or \$4Zone\$4 or boundary\$4 or mutual\$4 or entiti\$4 or object\$4) with (\$4Authenticat\$5 or \$4Authoriz\$6 or \$4Permi \$6 or \$4Verif\$8 or \$4Certif \$8 or \$4Validat\$6 or \$4Approv\$6 or \$4Confir\$7 or \$4Credent\$6 or allow \$4))				
S37	3	S31 ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$trust \$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary\$4 or mutual \$4 or entiti\$4 or object \$4)) ((SOAP or corba) with header) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) object) (class\$2 log\$4) (remote\$4 with (\$4Node \$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client \$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Processo\$4 or \$4machin \$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4)) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$4Communicat\$4 or \$4Transmi\$7 or \$4Send\$4 or Reques\$5 or submit\$4 or \$4Receive\$4 or \$4Transceiv\$4 or Bi? direction\$4 or Two?way or \$4Coupl\$4 or \$4Connect \$4 or \$4Interface\$4 or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 19:53

		Rout\$4 or Path\$4 or URL or link or XLink or (XML adj Linking))) ((\$trust\$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary\$4 or mutual\$4 or entiti\$4 or object\$4) with (\$4Authenticat\$5 or \$4Authoriz\$6 or \$4Permi\$6 or \$4Verif\$8 or \$4Certif\$8 or \$4Validat\$6 or \$4Approv\$6 or \$4Confir\$7 or \$4Credent\$6 or allow \$4))				
S38	4	(US-20030120672-\$ or US-20040139352-\$ or US-20040139322-\$ or US-20050044197-\$).did.	US-PGPUB	AND	ON	2008/03/30 20:02
S39	30	("4104721" "5898781" "6405202").pn. "20020099952" "20020133700" "20030084292" "20030088790" "20030110169" "20030140140" "20030177356"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 21:49
S40	29	S39 @ad<"20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/03 21:49
S41	4	(US-20030120672-\$ or US-20040139352-\$ or US-20040139322-\$ or US-20050044197-\$).did.	US-PGPUB	AND	ON	2008/09/03 21:50
S42	1	S40 adjacent\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/03 21:58
S43	30	("4104721" "5898781" "6405202").pn. "20020099952" "20020133700" "20030084292" "20030088790" "20030110169" "20030140140" "20030177356"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 15:25

S44	29	S43 @ad< "20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 15:26
S45	0	S44 ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$trust\$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary\$4 or mutual\$4 or entiti\$4 or object\$4)) ((SOAP or corba) with header) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) object) (class\$2 log\$4) (remote\$4 with (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Process\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4)) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$4Communicat\$4 or \$4Transmi\$7 or \$4Send\$4 or Reques\$5 or submit\$4 or \$4Receive\$4 or \$4Transceiv\$4 or Bi?direction\$4 or Two?way or \$4Coupl\$4 or \$4Connect\$4 or \$4Interface\$4 or Rout\$4 or Path\$4 or URL or link or XLink or (XML adj Linking))) ((\$trust\$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary\$4 or mutual\$4 or entiti\$4 or object\$4) with (\$4Authenticat\$5 or \$4Authoriz\$6 or \$4Permi\$6 or \$4Verif\$8 or \$4Certif\$8 or \$4Validat\$6 or \$4Approv\$6 or \$4Confir\$7 or \$4Credent\$6 or allow\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 15:26

S46	8	(https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scramble\$5) (\$trust\$4 or \$domain\$4 or \$realm\$4 or \$Zone\$4 or boundary \$4 or mutual\$4 or entiti \$4) (object\$4 or SOAP or corba) header remote\$4 (\$Node\$3 or \$Workstat \$4 or \$Terminal\$3 or \$Client\$3 or \$host\$3 or \$station\$2 or \$device\$3 or \$server\$2 or \$Apparat\$4 or \$Process\$4 or \$machin \$4 or \$computer\$4 or \$hardware\$4 or phon\$3 or module\$4) (\$Communicat\$4 or \$Transmi\$7 or \$Send\$4 or Reques\$5 or submit\$4 or \$Receive\$4 or \$Transceiv\$4 or Bi? direction\$4 or Two?way or \$Coupl\$4 or \$Connect \$4 or \$Interface\$4 or Rout\$4 or Path\$4 or URL or link or XLink or (XML adj Linking)) (\$Authenticate\$5 or \$Authoriz\$6 or \$Permi \$6 or \$Verif\$8 or \$Certif \$8 or \$Validat\$6 or \$Approv\$6 or \$Confir\$7 or \$Credent\$6 or allow \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/09/05 15:54
S47	4	S46 @ad< "20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 15:59
S48	202	(((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scramble\$5)) same (\$Authenticate\$5 or \$Authoriz\$6 or \$Permi \$6 or \$Verif\$8 or \$Certif \$8 or \$Validat\$6 or \$Approv\$6 or \$Confir\$7 or \$Credent\$6 or allow \$4) same (\$trust\$4 or \$domain\$4 or \$realm\$4 or \$Zone\$4 or boundary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 16:17

		\$4 or mutual\$4 or enti \$4) same (object\$4 or SOAP or corba) same header)				
S49	75	S48 @ad< "20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 16:21
S50	424942	(((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client \$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Processo\$4 or \$4machin \$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4 or router) with (Intermed\$4 or middl \$4 or adjacent\$4) with (\$4Communicat\$4 or \$4Transmi\$7 or \$4Send\$4 or Reques\$5 or submit\$4 or \$4Receive\$4 or \$4Transceiv\$4 or Bi? direction\$4 or Two?way or \$4Coupl\$4 or \$4Connect \$4 or \$4Interface\$4 or Rout\$4 or Path\$4 or URL or link or XLink or (XML adj Linking)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 16:23
S51	424942	(((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client \$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Processo\$4 or \$4machin \$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4 or router) (Intermed\$4 or middl\$4 or adjacent\$4) (\$4Communicat\$4 or \$4Transmi\$7 or \$4Send\$4 or Reques\$5 or submit\$4 or \$4Receive\$4 or \$4Transceiv\$4 or Bi? direction\$4 or Two?way or \$4Coupl\$4 or \$4Connect \$4 or \$4Interface\$4 or Rout\$4 or Path\$4 or URL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2008/09/05 16:28

	or link or XLink or (XML adj Linking)))				
--	---------------------------------------------	--	--	--	--

9/ 5/ 2008 9:25:30 PM

C:\ Documents and Settings\ tgergiso\ My Documents\ EAST\ Workspaces\ 10803590\ 10803590.
w sp